

FACE CREAM FOR OILY SKIN

	COMMERCIAL NAME	INCI NAME	%
A1	BATTERIKAL	COPAIFERA OFFICINALIS RESIN, OLEA EUROPAEA FRUIT OIL, CARAPA GUAIANENSIS SEED OIL, LEPTOSPERMUM SCOPARIUM BRANCH/LEAF OIL	3,00
A2	CAPRYLIC/CAPRIC TRIGLYCERIDE	CAPRYLIC/CAPRIC TRIGLYCERIDE	2,00
A3	EMULGIN B2	CETEARETH-20	1,50
A4	EMULGADE SE-PF	CETEARYL ALCOHOL, GLYCERYL STEARATE, CETEARETH-12, CETEARETH-20, CETYL PALMITATE	4,50
A4	CETYL ALCOHOL	CETYL ALCOHOL	4,00
A6	CETEARYL ETHYLHEXANOATE	CETEARYL ETHYLHEXANOATE	3,00
A7	TOCOPHERYL ACETATE	TOCOPHERYL ACETATE	1,50
A8	DIMETHICONE 350 CPS	DIMETHICONE	0,50
A9	BENTONITE	BENTONITE	0,50
A10	ZINC OXIDE	ZINC OXIDE	0,50
A11	BHT	BUTYLHYDROXYTOLUENE	0,05
B	DEMINERALIZED WATER	AQUA	32,05
C1	DEMINERALIZED WATER	AQUA	30,00
C2	GLYCEROL	GLYCERIN	3,00
C3	KALIZINC	AQUA, ZINC PCA	5,00
C4	ALLANTOIN	ALLANTOIN	0,30
D	LAVENDER ESSENTIAL OIL	LAVANDULA ANGUSTIFOLIA FLOWER OIL	0,20
E	BURDOCK GLYCOLIC EXTRACT	ARCTIUM LAPPA FRUIT EXTRACT, PROPYLENE GLYCOL	2,00
F	LIQUID SULFUR	POLISORBATE 80, SULFURIZED TEA-RICINOLEATE, PEG-35 CASTOR OIL, PROPYLENE GLYCOL	1,00
G1	HELICHRYSUM DRY EXTRACT	HELICHRYSUM ITALICUM FLOWER EXTRACT	0,20
G2	DEMINERALIZED WATER	AQUA	2,00
H1	KALIBIOME SENSITIVE	LACTOBACILLUS FERMENT, MANNITOL	0,20
H2	DEMINERALIZED WATER	AQUA	3,00
I	PRESERVATIVES, PARFUM and REGULATOR	pH PRESERVATIVES, PARFUM and pH REGULATOR	AS NEEDED
J	STABILIZER/THICKENER	STABILIZER/THICKENER	AS NEEDED

Heat all of the ingredients from A1 to A8 to a temperature of 80°C +/- 2° C mixing. When all the solids are completely melt, add A9,A10,A11 mixing. Heat B to a temperature of 85° +/- 2°C

Mix the ingredients of phase C until a lipid, transparent solution is obtained.

Heat phase C to a temperature of 70° +/- 2°C

When the indicated temperatures have been reached, add phase B to phase A while stirring and homogenizing.

After the union, cool the product to a temperature of 70°C, then add phase C mixing and homogenizing.

After the addition of phase C, continue to stir and homogenize for about 10 minutes.

Cool the product to a temperature of 40°C, then add the phases from D to H (G1 and H1 have to be solubilized in water before the addition). Add preservatives, parfum and pH regulator as much as needed to set the pH between 6,2 and 6,6. Stop homogenizing and continue stirring until the emulsion reaches room temperature. Add STABILIZER/THICKENER as much as needed to obtain the desired viscosity.