

	COMMERCIAL NAME	INCI NAME	%
A1	COCO CAPRYLATE	COCO CAPRYLATE	7,60
A2	OLIVOIL GLUTAMATE EMULSIFIER	SODIUM OLIVOYL GLUTAMATE, CETEARYL ALCOHOL, GLYCERYL STEARATE	8,40
A3	CAPRYLIC/CAPRIC TRIGLYCERIDE	CAPRYLIC/CAPRIC TRIGLYCERIDE	5,90
A4	CETYL ALCOHOL	CETYL ALCOHOL	4,20
A5	ETHYLHEXYL DIMETHYL PABA	ETHYLHEXYL DIMETHYL PABA	0,60
A6	TOCOPHERYL ACETATE	TOCOPHERYL ACETATE	1,50
B1	DEMINERALIZED WATER	AQUA	58,90
B2	KEMIDERM NMF V	UREA, GLUCOSE, FRUCTOSE, HYDROLYZED WHEAT PROTEIN, SODIUM GLUTAMATE, GLYCINE, LYSINE, MALIC ACID, TARTARIC ACID, CITRIC ACID, GLYCOLIC ACID, LACTIC ACID, SODIUM PCA, HYDROGENATED STARCH HYDROLYSATE, AQUA	3,00
B3	PANTHENOL	PANTHENOL	0,50
B4	GLYCERIN	GLYCERIN	3,00
C1	ALOE POWDER	ALOE BARBADENSIS LEAF JUICE POWDER	0,10
C2	DEMINERALIZED WATER	AQUA	1,00
D1	HORSE CHESTNUT DRY EXTRACT	AESCLUS HIPPOCASTANUM SEED EXTRACT	0,05
D2	DEMINERALIZED WATER	AQUA	0,50
E1	HELICHRYSUM DRY EXTRACT	HELICHRYSUM ITALICUM FLOWER EXTRACT	0,05
E2	DEMINERALIZED WATER	AQUA	0,50
F1	KALIBIOME SENSITIVE	LACTOBACILLUS FERMENT, MANNITOL	0,20
F2	DEMINERALIZED WATER	AQUA	3,00
G1	TROXERUTIN	TROXERUTIN	0,10
G2	DEMINERALIZED WATER	AQUA	0,90
H	PRESERVATIVES, PARFUM and REGULATOR	pH PRESERVATIVES, PARFUM and pH REGULATOR	AS NEEDED
I	STABILIZER/THICKENER	STABILIZER/THICKENER	AS NEEDED

Heat all of the ingredients of phase A to a temperature of 72°C +/- 2° C mixing.

Mix the ingredients of phase B until a limpid, transparent solution is obtained.

Heat phase B to a temperature of 75° +/- 2°C

When the indicated temperatures have been reached, add phase B to phase A while stirring and homogenizing.

After the union, continue to stir and homogenize for about 10 minutes.

Cool

the product to a temperature of 40°C, then add the phases from C to G one by one, homogenizing for a few minutes after every addition. All the powdered ingredients must be dissolved into water before the addition.

Stop homogenizing and continue stirring until the emulsion reaches room temperature.

Add preservatives, parfum and pH regulator as much as needed to set the pH between 7,00 and 7,30.

In the end, add STABILIZER/THICKENER as much as needed to get the desired viscosity.