

SOFT FOCUS & FILLING CREAM

	COMMERCIAL NAME	INCI NAME	%
A1	COCO CAPRYLATE	COCO CAPRYLATE	8,00
A2	OLIVOIL AVENATE EMULSIFIER	POTASSIUM OLIVOYL HYDOLYZED OAT PROTEIN, CETEARYL ALCOHOL, GLYCERYL STEARATE, GLYCERYL OLEATE	9,00
A3	CAPRYLIC/CAPRIC TRIGLYCERIDE	CAPRYLIC/CAPRIC TRIGLYCERIDE	6,00
A4	CETYL ALCOHOL	CETYL ALCOHOL	4,50
A5	DIMETHICONE	DIMETHICONE	1,00
B1	DEMINERALIZED WATER	AQUA	44,50
B2	GLYCEROL	GLYCERIN	3,15
B3	KEMIDERM NMF V	UREA, GLUCOSE, FRUCTOSE, HYDROLYZED WHEAT PROTEIN, SODIUM GLUTAMATE, GLYCINE, LYSINE, MALIC ACID, TARTARIC ACID, CITRIC ACID, GLYCOLIC ACID, LACTIC ACID, SODIUM PCA, HYDROGENATED STARCH HYDROLYSATE, AQUA	4,50
C1	KALINAT AW POWDER	SODIUM DNA	0,25
C2	DEMINERALIZED WATER	AQUA	18,60
C3	FILLEDERM RED POWER	CORAL POWDER	0,50
D	PRESERVATIVES, PARFUM and REGULATOR	pH PRESERVATIVES, PARFUM and pH REGULATOR	AS NEEDED

Heat the ingredients of phase A up to a temperature of 72° C +/- 2°C, mixing until all solids are melt. Heat water (B1) up to a temperature of 75° C +/- 2°C.

Add B2 and B3 to B1 and mix until a clear solution is obtained. When the indicated temperatures have been reached, add phase B to phase A while stirring and homogenizing.

After the union, continue to stir and homogenize for about 10 minutes.

Cool down the emulsion mixing: go on with the addition of other ingredients only when the temperature of the emulsion is 40° C or less.

While the product is cooling down, prepare phase C.

Heat C2 to a temperature of 40°C. Add C1 to C2 and keep stirring until complete solubilization. When C1 is solved, add C3 to the solution while stirring. Add the dispersion to the product mixing until a homogeneous emulsion is obtained. Cool down to room temperature.

Add D and adjust the pH to the requested value.

FILLEDERM[®]
RED POWER

Wrinkle filler, "Soft Focus" effect Keratinocytes Proliferation

 **KALINAT**
DNA 

Anti-wrinkle and tensor effect